

LOC/DME I-EPA 110.15 Chan 38(Y)	APP CRS 276°	Rwy Idg TDZE Apt Elev 8500 630 645
---	------------------------	--


ILS RWY 27L (SA CAT I & II)
DETROIT METRO WAYNE COUNTY (DTW)

▼ DME or RADAR required. Simultaneous approach authorized.
SA Cat I: Requires specific OPSPEC, MSPEC, or LOA approval and use of HUD to DH.
SA Cat II: Reduced lighting: Requires specific OPSPEC, MSPEC, or LOA approval and use of Autoland or HUD to touchdown.

MALSR

MISSED APPROACH: Climb to 1100 then climbing left turn to 4000 on heading 180° and CRL VOR/DME R-041 to CRL VOR/DME and hold, continue climb-in-hold to 4000.

D-ATIS 133.675	DETROIT APP CON 124.05 284.0	METRO TOWER 128.75 317.725	GND CON 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)	CLNC DEL 120.65	CPDLC
--------------------------	--	--------------------------------------	---	---------------------------	-------



ELEV 645	D	TDZE 630	1100	4000	hdg 180°	CRL R-041	CRL	VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 71).
-----------------	----------	-----------------	------	------	----------	-----------	-----	---

