

FAHION HAS (VAN VOORHIS EID) (KNEI

TYWAN-ONE DEPARTURE (TYWAN1•TYWAN


FALLON, NEVADA

AL-143 [USN]	
Rwy	Knots
7	217
V/V(fpm)	217 434 651 868 1085 1302

Minimum Climb Rate to 4500

Minimum Climb Rate to 4900

ATIS 370.925 ★

CLINC DEL
353.55GND CON
251.15231.13
C1.1C7NAVY FALLON TOWER ★
119.25 340.2NAVY FALLON APP/DEP CON
120.85 360.2

(Continued on next page)

TA FL180

TYWAN-ONE DEPARTURE (TYWAN1•TYWAN)

Orig 24MAR22

FALLOON, NEVADA
FALLOON NAS (VAN VOORHIS FLD) (KNFL)

▼

Alt-143 [USN]

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RWY 7: Climb to 4500, then climbing right turn to NFL TACAN, intercept NFL R-321 to TYWAN and cross TYWAN at or below 9900. Do not exceed 250 KIAS until TYWAN.

TAKEOFF RWY 13L/R: Climb to 4500, then climbing left turn to NFL TACAN, intercept NFL R-321 to TYWAN and cross TYWAN at or below 9900. Do not exceed 250 KIAS until NFL.

TAKEOFF RWY 25: Climbing right turn to intercept NFL TACAN R-321 to TYWAN. Cross TYWAN at or below 9900. Do not exceed 250 KIAS until established on NFL R-321.

TAKEOFF RWY 31L/R: Climb on heading 311° to intercept NFL TACAN R-321 to TYWAN. Cross TYWAN at or below 9900.

HAZEN TRANSITION (TYWAN1 .HZN): Left turn direct HZN VORTAC. Cross HAZEN at or below 15,000 or as assigned by ATC.

LOVELOCK TRANSITION (TYWAN1 .LLC): Direct ARDLY, right turn direct BAFHU, right turn direct LLC VORTAC. Cross ARDLY at or below 15,000 or as assigned by ATC.

MUSTANG TRANSITION (TYWAN1 .FMG): Left turn direct FMG VORTAC. Cross MUSTANG at or below 15,000 or as assigned by ATC.

YERIN-EIGHT DEPARTURE (YERIN8 • YERIN) FALLON NAS (VAN VOORHIS FLD) (KNFL) FALLON, NEVADA

ATIS 370 925 ★
CINC DEL
353.55
GND CON
251.15
NAVY FALLON TOWER ★
119.25 340.2
NAVY FALLON APP/DEP CON
120.85 360.2

TOP ALTITUDE
15,000

AL-143 [USN]
FALLON MUNI
FALLON, NEVADA


CAUTION: Fallon Muni Airport (uncontrolled)
5 NM NW Fallon at 800 AGL.
Act unable to make
ATC climb gradient
advise ATC prior to
departure.

FALLON
Chon 82 NFL

Rwy	Knots	60	120	180	240	300	360
★ 7	V/V(fpm)	215	430	645	860	1075	1290
★ 7	V/V(fpm)	527	1054	1581	2108	2635	3162
★ 13L	V/V(fpm)	232	464	696	928	1160	1392
★ 13L	V/V(fpm)	582	1164	1746	2328	2910	3492
★ 13R	V/V(fpm)	235	470	705	940	1175	1410
★ 13R	V/V(fpm)	593	1186	1779	2372	2965	3558
★ 25	V/V(fpm)	238	476	714	952	1190	1428
★ 25	V/V(fpm)	606	1212	1818	2424	3030	3636
★ 31L	V/V(fpm)	461	922	1383	1844	2305	2766
★ 31R	V/V(fpm)	457	914	1371	1828	2285	2742

* Minimum Military and Civil † ATC Climb Rate

- ⓐ to 7200
- ⓑ to 9500



DEPARTURE ROUTE DESCRIPTION

TAKE-OFF Rwy 7: Turn right hdg 236° to intercept NFL TACAN R-191 to YERIN. Cross FITNU at or above 9500. Do not exceed 250 KIAS until intercepting NFL R-191.

TAKE-OFF Rwy 13L/R: Climbing right turn hdg 236° to intercept NFL R-191 to YERIN. Cross FITNU at or above 9500. Do not exceed 250 KIAS until intercepting NFL R-191.

TAKE-OFF Rwy 25: Climbing left turn hdg 146° to intercept NFL R-191 to YERIN. Cross FITNU at or above 9500. Do not exceed 250 KIAS until intercepting NFL R-191.

TAKE-OFF Rwy 31L/R: Climb to 4500 via heading 311°, then climbing right turn to NFL TACAN, intercept NFL R-191 to YERIN. Do not exceed 250 KIAS until NFL TACAN. Cross FITNU at or above 9500.