120.45 288.325

119.55 GND CON 121.6 WESTHEIMER TOWER * 118.0 OKE CITY DEP CON

TAKEOFF MINIMUMS Rwys 3, 18, 21, 36: Standard with minimum climb of 500' per NM to 1700.

BASSR TEBRD *200

ATOKA

NOTE: RADAR required.

NOTE: DME/DME/IRU or GPS required.

1700

NOTE: RNAV 1.

NOTE: Chart not to scale.

V

1700

22 FEB 2024

ō

21 MAR 2024

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 3: Climb on heading 032° to 1700, then left turn heading 356° or as assigned by ATC, expect RADAR vectors to BASSR, thence

TAKEOFF RUNWAY 18: Climb on heading 176° to 1700, then heading 176° or as assigned by ATC, expect RADAR vectors to BASSR, thence

TAKEOFF RUNWAY 21: Climb on heading 212° to 1700, then left turn heading 176° or as assigned by ATC, expect RADAR vectors to BASSR, thence

TAKEOFF RUNWAY 36: Climb on heading 356° to 1700, then heading 356° or as assigned by ATC, expect RADAR vectors to BASSR, thence

.... on track 128° to TEBRD, then on (transition). Maintain 3000 or as assigned by ATC. Expect filed altitude 10 minutes after departure.

ATOKA TRANSITION (TEBRD3.ATOKA)